

DOOSAN

Doosan Infracore

Forklifts

Tel: 82-2-3398-8618 Fax: 82-2-3398-8619

Head Office : 7-11, Hwasu-Dong, Dong-Gu, Incheon, Korea. Tel : 82-32-211-5011 Fax : 82-32-211-5412 Seoul Office : 22nd floor, Doosan Tower Bldg, Euljiro 6-Ga Jung-Gu, Seoul, Korea.

Web site : http://iv.doosaninfracore.co.kr/eng



3 Wheel Electric Forklift Trucks

B10R / 13R / 15R / 16R-5 (24V Rear Wheel Drive) 1,000kg to 1,600kg Capacity







B10R-5 / B13R-5 / B15R-5 / B16R-5 1,000kg to 1,600kg Capacity 24VOLT Pneumatic & Solid Tire

AUTHORIZED DEALER

Product and specifications are subject to improvement and change without notice.

Doosan Infracore Forklifts



B10R / 13R / 15R / 16R-5

New Electric Forklifts of Efficiency & Productivity Doosan Rear Wheel Drive Electric Forklifts Surpass Customer Expectation for Cost Efficiency, Performance and Productivity

provide a great operating delight. suitable for application of enclosed space, such as containers, wagons or lorries.

> For optimum comfort, F.C.U. (Front Cockpit Unit) was ergonomically designed for comfortable driving and anti-fatigue even in multi-shift operations helping stylish appearance together with optional deluxe suspension seat.

For smooth control, A.C.T. (Active Control Technology) has been incorporated into full AC (Drive and Hydraulic) system.

For greater productivity, AC drive & hydraulic motors promote energy efficiency and reduce overall operating costs.

For industry best safety, O.S.S. (Operator Sensing System) makes drive happy due to protect operator from any risk.

For outstanding durability & reliability, O.C.D.B. (Oil Cooled Disc Brake) was equipped in all Doosan electric trucks.

DRIVE THE DIFFERENCE.

P20

16

REAR WHEEL DRIVE

Rear wheel drive electric forklifts(B16R Series) As well as high performance, compact design is

Satisfaction Comes Standard

DR

Ergonomic Design

Easy to Access & Exit

- Low Entry Height

Wide leg & head room, grab bar on O.H.G. rail & hood.

Easy to Drive

- Deluxe Suspension Seat (Optional) With OSS

A comfortable deluxe suspension seat with OSS, a large seatback angle, longer seat travel length and operator's weight resistance on front side allow multiple adjustments for optimum seating comfort.

Easy to Control

- Finger Tip (Optional)

Permit precise controlled load movement by literally lifting only a finger to significantly reduce operator movement and excessive effort.

Easy to Operate

- Infinitely Adjustable Steering Column

Although compact truck, infinitely adjustable steering column fully adjusts to driver's height.

- Hydraulic Control Lever

Low efforts but, high and smooth performance.

- Direction lever

Easy to operate while turning wheel thanks to FCU.



Easy to See

-High Visibility Overhead Guard and Front-End Wider mast window, repositioned hydraulic hoses and flat bar style overhead guard optimize operator sight lines forward, up and to the load.

Easy to Service

-Side Roll in & Out Battery (Optional) Easy to service without efforts. Tool free side panel, easy removal of floor

plate and control valve cover.

Guarantees Stable Operation and Provides Enhanced Truck Performance









Productive, But Energy Efficient !

13031

DOOSAN

4101



COSAL

18181

B16R Series Will Be Energy for Your Business.

control and energy consumption, is achieved through several DOOSAN exclusive design innovation.

DOOSAN Exclusive ACT (Active Control Technology)

This innovative system provides several productivity advantages:



• Active Performance Control : operating conditions • Active Energy control : • Active Comfort Control : • Active Heat Control :

Operator-Centric Performance Selection

Operator controls the truck's performance capability and can optimize productivity and battery consumption rate to match application requirements. • H-mode (High Performance) • S-mode (Standard Performance) • E-mode (Energy Efficient Performance)



• Turtle mode

More Work per Battery Charge

Programmable operating functions customize truck performance for energy efficiency to achieve more run time per battery charge.

ITC (Intelligent Torque Control)

Closed-loop feedback system monitors loads on drive and hydraulic motors to maintain speed consistency whether the truck is empty or loaded. It also provides :

- Responsive acceleration
- Excellent gradeability

• Full protection against short /open circuits

• Continuous temperature monitoring of panel and motors

to maximize material handling productivity.

Productivity of Electric Truck, represented by the combination of speed,

- self-adjusts performance criteria to changes in
- maintains consistent performance through 80% of battery charge life
- customizes operating parameters to match
- driver's style for increased comfort,
- confidence & control
- system self protects when overheating detected
- to correct temperature imbalance

(Reduces Travel Speed while maintaining lift speed)





accidents.



OSS (Operator Sensing System)

Audible alarm will sound when operator leaves from seat without parking brake applied.

Truck is not moving with directional switch in either forward or reverse when operator leaves the truck without parking brake applied. (automatically return to neutral position)



Steering Angle Sensing System

- The angle sensing information controls the travel speed at turning operation. It automatically reduces the travel speed to the optimum speed at the cornering.



The combination of LED displays and 7-digit graphic LCD display intelligently provides operators with all the details they need, including operational information, safety indicators, diagnostics and programmable settings.



DOOSAN's Superb Operator Sensing System will minimize the risk of

Moving Front Axle When extended (by tilting backward), Safer driving due to larger wheel base, which provides better stability.

When Shortened (by tilting forward), More excellent maneuverability due to extremely compact.

Anti Roll Back & Down

Stop on ramp, anti roll back & down system protects truck's slip.

Rear Grab Bar With Horn (Optional)

When operator drives in reverse, grab bar with horn button on rear-right O.H.G. rail will help safety of surrounding personnel.

Intelligent Instrument and Control Panels



Parking Brak Indicator











DRIVE DOOSAN !

Hour Mete Display

Durability and Reliability Create Profitability !

DOOSAN's goal is to make your material handling business efficient and profitable. The durability and reliability of our trucks will aid in minimizing your truck down time and total cost of ownership.

AC drive and hydraulic controller & motor system



No brushes, no commutator and no directional contactors, there-by no maintenance.

AC controller permits programmable adjustments to operating functions for customized truck performance.

It provides both run-time and trouble shooting diagnostic technology.



Doosan exclusive & innovative Oil cooled Disc Brake



Virtually maintenance-free, ODB is standard equipment on the PRO5 Series,B16R-5. The enclosed brake system eliminates outside contamination significantly extending the brake life up to 5 times longer when compared to conventional shoe brakes.

Field Proven Rear Drive Axle

Field proven axle with steering system guarantees long life and trouble free.

AC Controller has power to B16R-5

The command center of the B16R PRO 5 series is our AC controller consisting of a main logic board and independent power modules with direct links to drive motor and the hydraulic motor to manage, direct and monitor every operating system on the truck.

This control unit regulates and monitors the following functions :



- Anti-Roll Back and Anti-Roll Down with adjustable ramp stop time
- Regenerative Braking
- Electrically Assisted Braking
- Static Return to Off (SRO)
- Drive Speed Compensation (Load/Unload)
- Drive Speed Acceleration/ Deceleration/Reduction
- Continuous Lift Speed Control/ Pump Motor Speed Compensation
- Battery Discharge Indicator with

Adjustable Reset Value

- Over Temperature Protection for power modules and Motors
- Low and High Voltage Limit
- Diagnostics and Stored Error Codes
- Power Line Fault Detection (Fuse/Contactor)
- Continuous Temperature Measuring (Controller, Motor)
- Full Protection against Short or Open Circuits

Option Availability

Opt	ions	
Finge	er Tip Control Hydraulic Valve	
Pneu	matic Tires	
Non-	marking Tires	
Full S	Suspension Deluxe Seat - Vinyl	
Full S	Suspension Deluxe Seat with Armrest	
Mone	o-ped Foot Direction and Acceleration Control	
Emer	gency Switch	
Cold	Storage Package	
Keyle	ess Ignition Switch	
Knob	- Steering Wheel	
Two	Front and Rear Combination Lights	
One I	Rear Flood Light	
Back	-up Alarm	
Rear	Strobe Light	
Rear	View Mirror	
Integ	ral Sideshifter	
Integral Sideshifting Fork Positioner		
Hydra	aulic Accumulator	



	 Standard 	\bigcirc : Optional
B10/13R/15R-5	B16R-5	
0	0	
0	×	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	
0	0	

DRIVE DOOSAN !